

U=C-072001

RECEIVED

SER. NO.: 09/696.

APPLICANT: Shiyu Li

(Use several sheets if necessary)

FILING DATE: 10/25/00

GROUP: ~~1614~~

(37 CFR 1.98(b))

1660

## U.S. PATENT DOCUMENTS


**FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION**

**OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)**


EXAMINER WC Baker/HMS

DATE CONSIDERED Sept 9, 2002

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



FORM PTO-1449 (Modified)		U.S. Dept. Of Commerce Patent & Trademark OFFICE		ATTY DKT. NO.: 44908-00005		SER. NO.: 09/696,042	
<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b>  (Use Several Sheets If Necessary) (37 CFR 1.98(B))				APPLICANT: Li, Shiyu			
				FILING DATE: October 25, 2000		GROUP: 1614	
<b>U.S. PATENT DOCUMENTS</b>							
Examiner Initial		Patent Number	Issue Date		Patentee	Class	Sub- class
WUB	A-1	6,111,108	08/29/2000		Lopez-Avila et al.	546	48
WUB	A2	5,618,538	04/08/1997		ElSohly et al.	424	195.1
<b>FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION</b>							
	B-1						Translation Yes No
<b>OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication)</b>							
WUB	C-1	Li, S.Y. and K.T. Adair. 1994. <i>Camptotheca acuminata</i> Decaisne, Xi Shu, a promising anti-cancer and anti-viral tree for the 21st century. 268 pp. A Henry M. Rockwell monograph, Stephen F. Austin State University, Nacogdoches.					
WUB	C-2	Li, S.Y. et al. 2000. Anti-cancer happytrees ( <i>Camptotheca</i> Decaisne). Research Report (unpublished)					
WUB	C-3	Chen, L. J., F. H. Wang, and Y. R. Wu. 1991. The pollination biology of <i>Camptotheca acuminata</i> Decne. (Nyssaceae). Cathaya 3: 45-52.					
WUB	C-4	Cheng, J. Q., J. J. Liu, and P. Liu. 1992. <i>Woods of China</i> . China Forestry Press, Beijing. (Chinese)					
WUB	C-5	Decaisne, J. 1873. Caracters et descriptions de trois genres nouveaux de plants recueilles en Chine par L'abbe A. David. Bulletin de la Société Botanique de France 20: 155-160.					
WUB	C-6	Dode, L. A. 1908. Abbores et frutices novi. Bulletin de la Société Botanique de France 55: 651.					
WUB	C-7	Eyde, R. H. 1963. Morphological and paleobotanical studies of the Nyssaceae. I. The modern species and their fruits. Journal of the Arnold Arboretum 44: 1-59.					
WUB	C-8	Fang, W. P. and T. P. Soong. 1975. Praecursores flora Nyssacearum Sinensium. Acta Phytotaxonomy Sinica 13: 83-89. (Chinese)					
WUB	C-9	Fang, W. P. and Z. R. Zhang (eds.). 1983. Flora Reipublicae Popularis Sinicae, Vol. 52(2). Science Press, Beijing. (in Chinese)					
WUB	C-10	Li, S.Y. 1997. <i>Camptotheca lowreyana</i> , a new species of anti-cancer happytrees. Bulletin of Botanical Research 17(3): 348-352.					
WUB	C-11	Luo, L. C. 1989. <i>Woods of economic trees in Yunnan</i> . Yunnan People Press, Kunming. (in Chinese)					
WUB	C-12	Manchester, S. R., P. R. Crane, and L. B. Golovneva. 1999. An extinct genus with affinities to extant <i>Davidia</i> and <i>Camptotheca</i> (Cornales) from the Paleocene of North America and eastern Asia. International Journal of Plant Science 160(1):188-207.					
WUB	C-13	Metcalfe, C. R. and L. Chalk. 1957. Anatomy of the dicotyledons. Vol. 2. Oxford: Clarendon Press.					
WUB	C-14	Sohma, K. 1963. Pollen morphology of the Nyssaceae, I. <i>Nyssa</i> and <i>Camptotheca</i> . Scientific Reports of Tohoku University Series IV (Biology) 29: 389-392.					
WUB	C-15	Suzuki, M. 1976. Two new species of nyssaceous fossil woods from the palaeogene of Japan. Journal of Japanese Botany 50: 228-238					
WUB	C-16	Tanai, T. 1977. Fossil leaves of the Nyssaceae from the Miocene of Japan. Journal of Faculty of Science Hokkaido University IV. Geology and Mineralogy 17: 505-516.					
WUB	C-17	Yang, B. M. and L. D. Duan. 1988. One new plant of Nyssaceae from Hunan. Natural Science Journal of Hunan Normal University 11: 63-64. (Chinese)					
WUB	C-18	Ying, T. S. Y. L. Zhang, and D. E. Boufford. 1993. The endemic genera of seed plants of China. Beijing: Science Press.					
WUB	C-19	Zhang, R.H. et al. 1993. Morphology of major tree seedlings of China. Science Press, Beijing (Chinese).					
WUB	C-20	Adamovics, J.A., J.A. Cina, and R. Hutchinson. 1979. Minor alkaloids of <i>Camptotheca acuminata</i> . Phytochemistry 18: 1085-1086.					
WUB	C-21	Buta, J.G. and M.J. Novak. 1978. Isolation of camptothecin and 10 methoxycamptothecin from <i>Camptotheca acuminata</i> by gel permeation chromatography. Ind. Eng. Chem. Prod. Res. Dev. 17(2):160-161.					
WUB	C-22	Hsu, J.S., T.Y. Chao, L.T. Lin, and C.F. Hsu. 1977. Chemical constituents of the anticancer plant <i>Camptotheca acuminata</i> Decne. II. Chemical constituents of the fruits of <i>Camptotheca acuminata</i> Decne. Acta Chimica Sinica 35: 193-200.					
WUB	C-23	Lin, L.Z. and G.A. Cordell. 1989. Quinoline alkaloids from <i>Camptotheca acuminata</i> . Phytochemistry 28(4): 1295-1297.					



WCB	C-24	Lin, L.Z. and G.A. Cordell. 1990. 19-O-methylanguistoline from <i>Camptotheca acuminata</i> . <i>Phytochemistry</i> 29(8): 2744-2746.
WCB	C-25	Tien, H.J., J.M.Tien, M.Y. Yeh, T.S. Wu, and C.M. Huang. 1977. Studies on the constituents of <i>Camptotheca acuminata</i> Dore (I). The constituents of leaves. <i>Chemistry</i> 1977(2): 51-54.
WCB	C-26	Wall, M.E., M.C. Wani, C.E. Cook, K.H. Palmer, A.T. McPhail, and G.A. Sim. 1966. Plant antitumor agents. I. The isolation and structure of Camptothecin, a novel alkaloidal leukemia and tumor inhibitor from <i>Camptotheca acuminata</i> . <i>Journal of American Chemical Society</i> 88: 3888-3890.
WCB	C-27	Wani, M.C. and M.E. Wall. 1969. Plant anti-tumor agents. II. The structure of two new alkaloids from <i>Camptotheca acuminata</i> . <i>The Journal of Organic Chemistry</i> 34(5):1364-1367.
WCB	C-28	Burnett, R.J., I.E. Maldonado-Mendoza, T.D. McKnight, and C.L. Nessler. 1993. Expression of a 3-hydroxy-3-Methylglutaryl coenzyme a reductase gene from <i>Camptotheca acuminata</i> is differently regulated by wounding and methyl jasmonate. <i>Plant Physiology</i> 103: 41-48.
WCB	C-29	Buta, J. G. and J. F. Worley. 1976. Camptothecin, a selective plant growth regulator. <i>Journal of Agriculture and Food Chemistry</i> 24(5): 1085-1086.
WCB	C-30	Jain, A.K. and C.L. Nessler. 1996. Clonal propagation of <i>Camptotheca acuminata</i> through shoot bud culture. <i>Plant Cell, Tissue and Organ Culture</i> 44: 229-233.
WCB	C-31	Liu, Z. and J. Adams. 1996. Camptothecin yield and distribution within <i>Camptotheca acuminata</i> trees cultivated in Louisiana. <i>Canadian Journal of Botany</i> 74: 360-365.
WCB	C-32	Liu, Z. and J. Adams. 1998. Seed source variation in camptothecin concentrations of nursery-grown <i>Camptotheca acuminata</i> seedlings. <i>New Forests</i> 16: 167-175.
WCB	C-33	Liu, Z., S.B. Carpenter, and R.J. Constantin. 1997. Camptothecin production in <i>Camptotheca acuminata</i> seedlings in response to shading and flooding. <i>Canadian Journal of Botany</i> 75: 368-373.
WCB	C-34	Liu, Z., S.B. Carpenter, W.J. Bourgeois, Y. Yu, R.J. Constantin, M.J. Falcon, and J.C. Adams. 1998. Variations in the secondary metabolite camptothecin in relation to tissue age and season in <i>Camptotheca acuminata</i> . <i>Tree Physiology</i> 18: 265-270.
WCB	C-35	Liu, Z., J.C. Adams, H.P. Viator, R.J. Constantin, and S.B. Carpenter. 1999. Influence of soil fertilization, plant spacing, and copping on growth, stomatal conductance, abscisic acid, and camptothecin levels in <i>Camptotheca acuminata</i> seedlings. <i>Physiologia Plantarum</i> 105: 402-408.
WCB	C-36	Lopez-Meyer, M., C. L. Nessler, and T.D. McKnight. 1994. Sites of accumulation of the antitumor alkaloid camptothecin in <i>Camptotheca acuminata</i> . <i>Planta Medica</i> 60:558-560.
	<del>C-37</del>	<del>Lu, H., D. Henning, K. Patel, L. Brown, T. Teoh, and T.D. McKnight. 1996. Molecular biology of camptothecin production. <i>Plant Physiology</i> (abstract): 618.</del>
WCB	C-38	McKnight, T. D. and D. D. Henning. 1994. Camptothecin, an anti-cancer alkaloid from <i>Camptotheca acuminata</i> (Nyssaceae). Pp. 149-158 in <i>Conservation of plant genes II: Utilization of ancient and modern DNA</i> , eds. R. P. Adams, J. S. Miller, E. M. Golenberg, and J. E. Adams. Missouri Botanical Garden, St. Louis, Missouri.
WCB	C-39	Yao, J.X. et al. 1997. Superiority of <i>Camptotheca acuminata</i> seedlings. <i>Journal of Zhejiang Forestry College</i> 14: 134-141. (Chinese)
WCB	C-40	Zhou, Y.X. 1989. Study on the characteristics of seed dormancy and germination of <i>Camptotheca acuminata</i> . <i>Forestry Technical Newsletter</i> 8: 22-25. (Chinese)
WCB	C-41	Cao, G.R., J.X. Gao, D.X. Duan, S.J. Li, and K. Wang. 1992. Studies on <i>Camptotheca acuminata</i> leaves: main toxic principle, poisoning, and treatment in goats. In L.F. James et al. (eds.), <i>Poisoning Plants: Proceedings of the Third International Symposium</i> , pp. 506-508. Iowa State University Press, Ames.
WCB	C-42	Editorial Committee of Chinese Flora of Woody Plants. 1983. <i>Silviculture of major Chinese afforestation species</i> . China Forestry Press, Beijing. (in Chinese)
WCB	C-43	Forestry Department of Guangxi and Guangxi Association for Foresters. 1980. <i>Silviculture of hardwoods</i> . Guangxi People's Press, Nanning. (in Chinese)
WCB	C-44	Perdue, R.E. 1970. Chinese tree yield cancer-inhibiting drug. ? May-June.
WCB	C-45	Perdue, R.E., R.L. Smith, M.E. Wall, J.L. Hartwell, and B.J. Abbot. 1970. <i>Camptotheca acuminata</i> Decaisne (Nyssaceae) source of camptothecin, and antileukemic alkaloid. <i>Agricultural Research Series, USDA Technical Bulletin</i> No. 1415.
WCB	C-46	Perdue, R. E. 1968. <i>Camptotheca acuminata</i> Source of promising cancer drug. <i>Lasca Leaves</i> September: 55-59.
WCB	C-47	Perdue, R. E., M. E. Wall, J. L. Hartwell, et al. 1968. Comparison of the activity of crude <i>Camptotheca acuminata</i> , ethanolic extracts against lymphoid leukemia L-1210. <i>Lloydia</i> 31: 299.
WCB	C-48	Smith, R. L. 1969. <i>Camptotheca acuminata</i> , biography of camptothecin, a promising cancer drug. <i>Lasca Leaves</i> 9-10: 55-59.
WCB	C-49	Vincent, R.M., M. Lopez-Meyer, T.D. McKnight, and C.L. Nessler. 1997. Sustained Harvest of camptothecin from the leaves of <i>Camptotheca acuminata</i> . <i>Journal of Natural Products</i> 60: 618-619.
WCB	C-50	Yang, S. Z. and D. M. Wang. 1979. <i>Camptotheca acuminata</i> Decne. <i>Yunnan Forestry Science and Technology</i> 1979(2-3): 22-27. (in Chinese)
WCB	C-51	Bedker, P.J., J.G. O'Brien, and M.E. Mielke. 1995. How to prune trees. NA-FR-01-95, Forest Service, USDA.
WCB	C-52	Cook, A.D. (ed.). 1991. <i>Pruning techniques</i> . Brooklyn Botanical Garden, Brooklyn.
WCB	C-53	Medic, K. 1995. <i>Rodale's successful organic gardening: Pruning</i> . Rodale Press, Emmaus.
WCB	C-54	Wade, G.L. and R.R. Westerfield. 1999. Basic principles of pruning woody plants. Cooperative Extension Services, College of Agriculture & Environmental Sciences, University of Georgia, Athens.
WCB	C-55	Deng, C. Z., S. Abubaker, M. P. Fons, I. Boldogh, and T. Albrecht. 1992. Modulation of the frequency of human cytomegalovirus-induced chromosome aberrations by camptothecin. <i>Virology</i> 189: 397-401.

WCB	C-56	Liu, L.L., P. Duann, C.T. Lin, P. D'arpa, and J. Wu. 1997. Mechanism of action of camptothecin. <i>Annals of the New York Academy of Sciences</i> 803: 44-49.
WCB	C-57	Priel, E., E. Aflalo, G. Chechelnitsky, D. Benharroch, M. Aboud, and S. Segal. 1993. Inhibition of retrovirus-induced disease in mice by camptothecin. <i>Journal of Virology</i> 67: 3624-3629.
WCB	C-58	Slichenmyer, W.J., E.K. Rowinsky, R.C. Donehower, and S.H. Kaufmann. 1993. The current status of camptothecin analogues as antitumor agents. <i>Journal of the National Cancer Institute</i> 85(4): 271-291.
WCB	C-59	Craig, S. and L. A. Staehelin. 1988. High pressure freezing of intact plant tissues. Evaluation and characterization of novel features of endoplasmic reticulum and associated membrane systems. <i>European Journal of Cell Biology</i> 46: 80-93.
WCB	C-60	Hagerman, A.E. 1988. Extraction of tannin from fresh and preserved leaves. <i>Journal of Chemical Ecology</i> 14: 453-461.
WCB	C-61	Orians, C.M. 1995. Preserving leaves for tannin and phenolic glycoside analysis: A comparison of methods using three willow taxa. <i>Journal of Chemical Ecology</i> 21(9): 1235-1243.
WCB	C-62	Studer, D., H. Hennecke, and M. Muller. 1992. High-pressure freezing of soybean nodules leads to an improved preservation of ultrastructure. <i>Planta</i> 188: 155-163.
WCB	C-63	Anonymous. 1981. Major economic trees in Hunan. Hunan Science and Technology Press, Changsha (Chinese)
WCB	C-64	Ran, X. D. (ed.). 1993. <i>Zhong Hua Yao Hai</i> (encyclopaedia of Chinese herbs). Harbin Press, Harbin. (Chinese)
WCB	C-65	Yang, C. L., ed. 1993. <i>Poisonous herbs</i> . China Press of Traditional Chinese Medicine, Beijing. (Chinese)
WCB	C-66	Yu, Z. X. and J. D. Hao. 1984. Culture and utilization of medicinal trees. China Forestry Press, Beijing (Chinese).
WCB	C-67	Zhejiang Bureau of Health. 1972. Zhejiang Min Jian Chang Yong Cao Yao. Zhejiang People's Health Press, Hangzhou (Chinese).
WCB	C-68	Agrawal, A.A. 1998. Induced responses to herbivory and increased plant performance. <i>Science</i> 279: 1201-1202.
WCB	C-69	Baldwin, I.T. 1988a. The alkaloidal responses of wild tobacco to real and simulated herbivory. <i>Oecologia</i> 77: 378-381.
WCB	C-70	Baldwin, I.T. 1988b. Damage-induced alkaloids in tobacco: pot-bound plants are not inducible. <i>Journal of Chemical Ecology</i> 14(4): 1113-1120.
WCB	C-71	Baldwin, I.T. 1988c. Short-term damage-induced increases in tobacco alkaloids protect plants. <i>Oecologia</i> 75: 367-370.
WCB	C-72	Baldwin, I.T. 1989. Mechanism of damage-induced alkaloid production in wild tobacco. <i>Journal of Chemical Ecology</i> 15(5): 1661-1680.
WCB	C-73	Baldwin, I.T. 1991. Damage-induced alkaloids in wild tobacco. In <i>Phytochemical induction by herbivores</i> , pp. 47-69, eds. By D.W. Tallamy and M.J. Raupp. John Wiley & Sons, Inc., New York.
WCB	C-74	Beier, R.C. and E.H. Oertli. 1983. Psoralen and other linear furocoumarins as phytotoxins in celery. <i>Phytochemistry</i> 22: 2595-2597.
WCB	C-75	Bentley, N.D. Johnson, and L. Rigney. 1987. Short-term induction in leaf tissue alkaloids in lupines following experimental defoliation. <i>American Journal of Botany</i> 74:646.
WCB	C-76	Bhaumik, C. and P.C. Datta. 1989. Hormonal effect on mentholic gland initiation. <i>Indian Biologist</i> 21(1): 55-57.
WCB	C-77	Bosabalidis, A.M. and F. Exarchou. 1995. Effect of NAA and GA3 on leaves and glandular trichomes of <i>Origanum x intercedens</i> Rech: Morphological and anatomical features. <i>International Journal of Plant Science</i> 156(4): 488-495.
WCB	C-78	Bryant, J.P., F.S. Chapin, and D.R. Klein. 1983. Carbon/nutrient balance of boreal plants in relation to vertebrate herbivory. <i>Oikos</i> 40:357-368.
WCB	C-79	Cen, Y.P. and J.F. Bornman. 1993. The effects of exposure to enhanced UV-B radiation on the penetration of monochromatic and polychromatic UV-B radiation in leaves of <i>Brassica napus</i> . <i>Physiologia Plantarum</i> 87: 249-255.
WCB	C-80	Ceska, O., S. Chaudhary, P. Warrington, G. Poulton, and M. Ashwood-Smith. 1986. Naturally-occurring crystals of photocarcinogenic furocoumarins on surface of parsnip roots sold as food. <i>Experientia</i> 42: 1302-1304.
WCB	C-81	Chapell, J. and K. Hahlbrock. 1984. Transcription of plant defence genes in response to UV light or fungi elicitor. <i>Nature</i> 311: 76-78.
WCB	C-82	Chapin, F.S. 1991. Integrated responses of plants to stress. <i>Bioscience</i> 41: 29-36.
WCB	C-83	Chaves, N., J. C. Escudero, and C. Gutierrez-Merino. 1997. Role of ecological variables in the seasonal variation of flavonoid content of <i>Cistus ladanifer</i> exudate. <i>Journal of Chemical Ecology</i> 23(3): 579-603.
WCB	C-84	Chien, J.C. and I.M. Sussex. 1996. Differential regulation of trichome formation on the adaxial and abaxial leaf surfaces by gibberellins and photoperiod in <i>Arabidopsis thaliana</i> (L.) Heynh. <i>Plant Physiology</i> 111:1321-1328.
CWB	C-85	Coleman, J.S. and C.G. Jones. 1991. A phytochemical perspective of phytochemical induction by herbivores. In <i>Phytochemical induction by herbivores</i> , pp. 3-45, eds. By D.W. Tallamy and M.J. Raupp. John Wiley & Sons, Inc., New York.
WCB	C-86	Croteau, R. and M.A. Johnson. 1984. Biosynthesis of terpenoids in glandular trichomes. In Rodriguez, E., P.L. Healey, and I. <i>Mentha</i> (eds.), <i>Biology and chemistry of plant trichomes</i> , pp. 133-185. Plenum Press, New York and London.
WCB	C-87	Dickson, R.E. and J.G. Isebrands. 1991. Leaves as regulators of stress response. In H.A. Mooney, W.E. Winner, and E.J. Pell (eds.), <i>Response of plants to multiple stresses</i> , pp.3-34. Academic Press, San Diego, New York, Boston, London, Sydney, Tokyo, Toronto.
WCB	C-88	Doss, R.T. 1984. Role of glandular scales of lepidote rhododendrons in insect resistance. <i>Journal of Chemical Ecology</i> 10(12): 1787-1798.
WCB	C-89	El-Keltawi, N.E. and R. Croteau. 1986a. Influence of ethephon and daminozide on growth and essential oil content of peppermint and sage. <i>Phytochemistry</i> 25: 1285-1288.
WCB	C-90	El-Keltawi, N.E. and R. Croteau. 1986b. Influence of phosfon D and cycocel on growth and essential oil content of sage and peppermint. <i>Phytochemistry</i> 25: 1603-1606.
WCB	C-91	El-Keltawi, N.E. and R. Croteau. 1987. Influence of foliar applied cytokinins on growth and essential oil content of several members of the Lamiaceae. <i>Phytochemistry</i> 26: 891-895.
WCB	C-92	Fowler, S.V. and J.H. Lawton. 1985. Rapidly induced defenses and talking trees: the devil's advocate position. <i>American Naturalist</i> 126: 181-195.

WCB	C-93	Gantet, P., N. Imbault, M. Thiersault, and P. Doireau. 1998. Necessity of a functional octadecanoic pathway for indole alkaloid synthesis by <i>Catharanthus roseus</i> cell suspensions cultured in an auxin-starved medium. <i>Plant and Cell Physiology</i> 39(2): 220-225.
WCB	C-94	Gershenzon, J., M. Maffei, R. Croteau. 1989. Biochemical and histochemical localization of monoterpene biosynthesis in the glandular trichomes of spearmint ( <i>Mentha spicata</i> ). <i>Plant Physiology</i> 89: 1351-1357.
WCB	C-95	Gianfagna, T.J., C.D. Carter, and J.N. Sacalis. 1992. Temperature and photoperiod influence trichome density and sesquiterpene content of <i>Lycopersicon hirsutum</i> f. <i>hirsutum</i> . <i>Plant Physiology</i> 100: 1403-1405.
WCB	C-96	Good, D.E. and J.C. Snyder. 1988. Seasonal variation of leaves and mite resistance of <i>Lycopersicon</i> interspecific hybrids. <i>Hort-Science</i> 23: 891-894.
WCB	C-97	Grammatikopoulous, G. and Y. Manetas. 1994. Direct absorption of water by hairy leaves of <i>Phlomis fruticosa</i> and its contribution to drought avoidance. <i>Canadian Journal of Botany</i> 72: 1805-1811.
WCB	C-98	Hanson, A.D. and R.E. Tully. 1979. Light stimulation of proline synthesis in water-stressed barley leaves. <i>Planta</i> 145: 45-51.
WCB	C-99	Haslam, E. 1986. Secondary metabolism: fact and fiction. <i>Natural Product Reports</i> 3:217-249.
WCB	C-100	Hoffman, A., C. Shock, and E. Feibert. 1999. Taxane and ABA production in yew under different soil water regimes. <i>HortScience</i> 34(5): 882-885.
WCB	C-101	Hulskamp, M., S. Misera, and G. Jurgens. 1994. Genetic dissection of trichome cell development in <i>Arabidopsis</i> . <i>Cell</i> 76: 555-556.
WCB	C-102	Johnson, N.D., L. Rigney, and B.L. Bentley. 1989. Short-term changes in alkaloid levels following leaf damage in lupines with and without symbiotic nitrogen fixation. <i>Journal of Chemical Ecology</i> 15: 2425-2434.
WCB	C-103	Kangasjarvi, J., J. Talvinen, M. Utriainen, and P. Karjalainen. 1994. Plant defence systems induced by ozone. <i>Plant, Cell and Environment</i> 17: 783-794.
WCB	C-104	Karabourniotis, G. and J.F. Bornman. 1999. Penetration of UV-A, UV-B and blue light through the leaf trichome layers of two xeromorphic plants, olive and oak, measured by optical fibre microprobes. <i>Physiologia Plantarum</i> 105: 655-661.
WCB	C-105	Karabourniotis, G., D. Kotsabassidis, and Y. Manetas. 1995. Trichome density and its protective potential against ultraviolet-B radiation damage during leaf development. <i>Canadian Journal of Botany</i> 73: 376-383.
WCB	C-106	Karabourniotis, G., G. Kofidis, C. Fasseas, V. Liakoura, and I. Drossopoulos. 1998. Polyphenol deposition in leaf hairs of <i>Olea europaea</i> (Oleaceae) and <i>Quercus ilex</i> (Fagaceae). <i>American Journal of Botany</i> 85(7): 1007-1012.
WCB	C-107	Karban, R. and I.T. Baldwin. 1997. Induced responses to herbivory. The University of Chicago Press, Chicago and London.
WCB	C-108	Keene, C.K. and G.J. Wagner. 1985. Direct demonstration of duvatrienediol biosynthesis in glandular heads of tobacco trichomes. <i>Plant Physiology</i> 79: 1026-1032.
WCB	C-109	Kennedy, B.S., M.T. Nielsen, R.F. Severson, V.A. Sisson, M.K. Stephenson, and D.M., Jackson. 1992. Leaf surface chemicals from <i>Nicotiana</i> affecting germination of <i>Peronospora tabacina</i> (Adam) sporangia. <i>Journal of Chemical Ecology</i> 18: 1467-1479.
WCB	C-110	Kennedy, G.G., R.T. Yamamoto, M.B. Dimock, W.G. Williams, and J. Bordner. 1981. Effect of day length and light intensity on 2-tridecanone levels and resistance in <i>Lycopersicon hirsutum</i> f. <i>glabratum</i> to <i>Manduca sexta</i> . <i>Journal of Chemical Ecology</i> 7: 707-716.
WCB	C-111	Kim, E. and P.G. Mahlberg. 1997. Immunochemical localization of tetrahydrocannabinol (THC) in cryofixed glandular trichomes of <i>Cannabis</i> (Cannabaceae). <i>American Journal of Botany</i> 84(3): 336-342.
WCB	C-112	Kitch, L.W., R.E. Shade, W.E. Nyquist, and J.D. Axtell. 1985. Inheritance of density of erect glandular trichomes in the genus <i>Medicago</i> . <i>Crop Science</i> 25: 607-611.
WCB	C-113	Larkin, J.C., N. Young, M. Prigge, and M.D. Marks. 1996. The control of trichome number and spacing in <i>Arabidopsis</i> . <i>Development</i> 122: 997-1005.
WCB	C-114	Levin, D. A. 1973. The role of trichomes in plant defense. <i>The Quarterly Review of Biology</i> 48:3-15.
WCB	C-115	Lyons-Johnson, D. 1999. Understanding sugar transport in plants. <i>Agriculture Research March</i> : 9.
WCB	C-116	Marks, M.D., D.G. Oppenheimer, and E. Garon. 1996. Analysis of clonal sectors of altered epidermis on EMS treated <i>Arabidopsis</i> plants. <i>Weeds World</i> 2:1-5.
WCB	C-117	McKey, D. 1974. Adaptive patterns in alkaloid physiology. <i>American Naturalist</i> 108: 305-320.
WCB	C-118	Mizusaki, S., Y. Tanabe, M. Roguchi, and E. Tamaki. 1973. Changes in the activities of ornithine decarboxylase, putrescine N-methyltransferase and N-methylputrescine oxidase in tobacco roots in relation to nicotine biosynthesis. <i>Plant Cell Physiology</i> 14: 103-110.
WCB	C-119	Mutikainen, P. and M. Walls. 1995. Growth, reproduction, and defence in nettles: Responses to herbivory modified by competition and fertilization. <i>Oecologia</i> 104(4): 487-495.
WCB	C-120	Nagata, T., S. Todoriki, T. Hayashi, Y. Shibata, M. Mori, H. Kanegae, and S. Kikuchi. 1999. $\gamma$ -Radiation induces leaf trichome formation in <i>Arabidopsis</i> . <i>Plant Physiology</i> 120:113-119.
WCB	C-121	Neuvonen, S. and E. Haukioja. 1991. The effects of inducible responses in host foliage on birch feeding herbivores. In <i>Phytochemical induction by herbivores</i> , pp. 277-291, eds. By D.W. Tallamy and M.J. Raupp. John Wiley & Sons, Inc., New York
WCB	C-122	Nitao, J.K. 1988. Artificial defoliation and furanocoumarin induction in <i>Pastinaca sativa</i> (Umbellifere). <i>Journal of Chemical Ecology</i> 14(6): 1515-1521.
WCB	C-123	Owuor, P.O. and J.K.A. Langat. 1988. Changes in chemical composition of black tea due to pruning. <i>Tropical Science</i> 28: 127-132.
WCB	C-124	Panagopoulos, I., J.F. Bornman, and L.O. Bjorn. 1992. Response of sugar beet plants to ultraviolet-B (280-320 nm) radiation and <i>Cercospora</i> leaf spot disease. <i>Physiologia Plantarum</i> 84: 140-145.

WCB	C-125	Pasquali, G., O.J.M. Goddijn, A. de Waal, R. Verpoorte, R.A. Schilperoort, J.H.C. Hoge, and J. Memelink. 1992. Coordinated regulation of two indole alkaloid biosynthetic genes from <i>Catharanthus roseus</i> by auxin and elicitors.
WCB	C-126	Perazza, D., G. Vachon, and M. Herzog. 1998. Gibberellins promote trichome formation by up-regulating GLABROUS1 in <i>Arabidopsis</i> . <i>Plant Physiology</i> 117(2): 375-383.
WCB	C-127	Pesci, P. 1992. Effects of light on abscisic acid-induced proline accumulation in leaves: comparison between barley and wheat. <i>Physiologia Plantarum</i> 86: 209-214.
WCB	C-128	Quarrie, S.A. and H.G. Jones. 1977. Effects of abscisic acid and water stress on development and morphology of wheat. <i>Journal of Experimental Botany</i> 28: 192-203.
WCB	C-129	Ralphs, M.H. and C. Williams. 1988. Alkaloid response to defoliation of velvet lupine ( <i>Lupinus leucophyllus</i> ). <i>Weed Technology</i> 2: 429-432.
WCB	C-130	Raven, P.H., R.F. Evert, and H. Curtis. 1981. <i>Biology of plants</i> . Pp 501-517. Worth Publishers, Inc. New York.
WCB	C-131	Reichling, J., H. Becker, and A. Vomel. 1977. Herbicide im Kamillenbau ( <i>Matricaria chamomilla</i> ). <i>Planta Medica</i> 32: 235-242.
WCB	C-132	Roy, B.A., M.L. Stanton, and S.M. Eppley. 1999. Effects of environmental stress on leaf hair density and consequences for selection. <i>Journal of Evolutionary Biology</i> 12: 1089-1103.
WCB	C-133	Skaltsa, H., E. Verykoidou, C. Harvala, G. Karabouniotis, and Y. Manetas. 1994. UV-B protective potential and flavonoid content of leaf hairs of <i>Quercus ilex</i> . <i>Phytochemistry</i> 37: 987-990.
WCB	C-134	Snyder, J.C. and J.P. Hyatt. 1984. Influence of daylength on trichome densities and leaf volatiles of <i>Lycopersicon</i> species. <i>Plant Science Letters</i> 37: 177-181.
WCB	C-135	Stahl, E. and A. Wollensah. 1986. Observations on the function of the glandular hairs of yarrow: 4 <sup>th</sup> report: effects of selective herbicides on the glandular hairs and tissue of the florets. <i>Journal of Plant Physiology</i> 122: 93-96.
WCB	C-136	Strauss, E. 1999. RNA molecules may carry long distance signals in plants. <i>Science</i> 283(5398): 12-13.
WCB	C-137	Tiburcio, A.F., R. Kaur-Sawhney, and A.W. Galston. 1985. Correlation between polyamines and pyrrolidine alkaloids in developing tobacco callus. <i>Plant Physiology</i> 78: 323-326.
WCB	C-138	Tingey, W.M., and J.E. Laubengayer. 1981. Defense against the green peach aphid and potato leafhopper by glandular trichomes of <i>Solanum berthaultii</i> . <i>Journal of Economic Entomology</i> 74: 721-725.
WCB	C-139	Valentine, H.T., W.E. Wallner, and P.M. Wargo. 1983. Nutritional changes in host foliage during and after defoliation, and their relation to the weight of gypsy moth pupae. <i>Oecologia</i> 57: 298-302.
WCB	C-140	van Dam, N.M., R. Verpoorte, and Ed van Der Meijden. 1994. Extreme differences in pyrrolizidine alkaloid levels between leaves of <i>Gynoglossum officinale</i> . <i>Phytochemistry</i> 37: 1013-1016.
WCB	C-141	Van Sumere, C.F., H. Geiger, D. Bral, G. Fockenier, K. Vande Castele, M. Martens, R. Hanselaer, and L. Gevaert. 1983. Freeze-drying and analysis of plant and other biological material. <i>Analytical Biochemistry</i> 131: 530-532.
WCB	C-142	Wagner, G.J. 1991. Secreting glandular trichomes: more than just hairs. <i>Plant Physiology</i> 96: 675-679.
WCB	C-143	Wagner, M.R. and P.D. Evans. 1985. Defoliation increases nutritional quality and allelochemicals of pine seedlings. <i>Oecologia</i> 67: 235-237.
WCB	C-144	Wellso, S.G. and R.P. Hoxie. 1982. The influence of environment on the expression of trichomes in wheat. <i>Crop Science</i> 22: 879-885.
WCB	C-145	Wink, M. 1985. Chemical defense of lupins: biological function of quinolizidine alkaloids. <i>Plant Systematics and Evolution</i> 150: 65-81.
WCB	C-146	Wink, M. 1987. Chemical ecology of quinolizidine alkaloids. In <i>Allelochemicals: Role in Agriculture and Forestry</i> , ed. By G.R. Waller, pp. 523-533. American Chemical Society, Washington, D.C.
WCB	C-147	Wold, E.N. and R.J. Marquis. 1997. Induced defense in white oak: effects on herbivores and consequences for the plant. <i>Ecology</i> 78(5): 1356-1369.
WCB	C-148	Zangerl, A.R. and F.A. Bazzaz. 1992. In <i>Plant resistance to herbivores and pathogens</i> , eds. by S. Fritz and E.L. Simms. P. 363. University of Chicago Press, Chicago.
WCB	C-149	Ziska, L.H., A.H. Teramura, J.H. Sullivan, and A. McCoy. 1993. Influence of ultraviolet-B (UV-B) radiation on photosynthetic and growth characteristics in field-grown cassava ( <i>Manihot esculentum</i> Crantz). <i>Plant, Cell and Environment</i> 16: 73-79.
EXAMINER <u>Wendy Couchoud Baker</u> / <u>12/22</u> DATE CONSIDERED <u>Aug 3, 2002</u>		
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.		